Index

Abdallah, F. B., R. B. Cheikh, M. Baklouti, Z. Denchev and A. M. Cunha, *Characterization of Composite Materials Based on PP–Cork Blends*, 25 (14), 1499–1506.

Abdel-Hady, F., *Theoretical Approach to Wind Elbow Structure*, 25 (4), 437–449.

Agarwal, B., P. C. Upadhyay, L. Banta and D. Lyons, *Transient Temperature Distribution in Composites with Layers of Functionally Graded Materials (FGMs)*, 25 (5), 513–542.

Ahmad, I., A. Baharum and I. Abdullah, *Effect of Extrusion Rate and Fiber Loading on Mechanical Properties of Twaron Fiber-thermoplastic Natural Rubber (TPNR) Composites*, 25 (9), 957–965.

Ahmad, Z. and B. J. A. Aleem, *Corrosion Behavior of a Discontinuously Reinforced Composite in Salt Water Environment*, 25 (14), 1507–1523.

Ahmed, K. S., S. Vijayarangan and C. Rajput, *Mechanical Behavior of Isothalic Polyester-based Untreated Woven Jute and Glass Fabric Hybrid Composites*, 25 (15), 1549–1569.

Aktas, M., *The Influence of Hole Diameter on Residual Stresses and Plastic Zone Expansion in Steel Fiber-reinforced Aluminum Metal-matrix Laminated Composite Plates under Tranverse Loading*, 25 (11), 1149–1164.

Alam, M. K., M. A. Khan and E. H. Lehmann, *Comparative Study of Water Absorption Behavior in Biopol® and Jute-reinforced Biopol® Composite using Neutron Radiography Technique*, 25 (11), 1179–1187.

Algood, R., S. C. Sharma, A. A. Syed, A. V. Rajulu and M. Krishna, *Compression Properties of E-glass/Polyurethane Composites*, 25 (14), 1445–1447.

Algood, R., S. C. Sharma, M. Krishna and A. A. Syed, *Evaluation of Impact Property of PU/E-glass Composites*, 25 (18), 1869–1875.

Ariffin, A., S. S. Jikan, M. S. F. Samsudin, Z. M. Ariff and Z. A. M. Ishak, *Melt Elasticity Phenomenon of Multicomponent (Talc and Calcium Carbonate) Filled Polypropylene*, 25 (9), 913–923.

Aydogdu, M., *Free Vibration Analysis of Angle-ply Laminated Beams with General Boundary Conditions*, 25 (15), 1571–1583.

Aykul, H., S. Kaya and M. Şenel, *Elastoplastic Stress Analysis in a Woven Ni–Cr Reinforced Thermoplastic-matrix Composite Laminated Plates under Transverse Loading*, 25 (8), 891–907.

Baltaci, A., M. Sarikanat and H. Yildiz, *Buckling Analysis of Laminated Composite Circular Plates with Holes*, 25 (7), 733–744.

Baykara, C. and U. Güven, *The Shrink Fit with Plastic Orthotropic Hollow Inclusion*, 25 (10), 1117–1123.

Bhaskar, K., *An Elegant and Rigorous Analytical Solution for Anti-symmetric Angle-ply Rectangular Plates with any Combination of Simply Supported and Clamped Edges*, 25 (16), 1679–1689.

Bhattacharya, P., M. Rose and S. Homann, *Effects of Piezo Actuated Damping on Parametrically Excited Laminated Composite Plates*, 25 (8), 801–813.

Campos, G., Y. Reyes, N. Soto, J. Arenas and F. Vázquez, *Development of New Carpet Backings Based on Composite Polymer Particles*, 25 (18), 1897–1901.

0731-6844/06/18 1977–8 $10.00/0 DOI: 10.1177/0731684406075192
© 2006 SAGE Publications

Cao, Y. and J. Cameron, *Flexural and Shear Properties of Silica Particle Modified Glass Fiber Reinforced Epoxy Composite*, 25 (4), 347–359.

Cao, Y. and J. Cameron, *Impact Properties of Silica Particle Modified Glass Fiber Reinforced Epoxy Composite*, 25 (7), 761–769.

Chakrabarti, A. and A. H. Sheikh, *Buckling of Composite Laminates Subjected to In-plane Partial Edge Compression using a Refined Plate Theory*, 25 (11), 1189–1204.

Chang, C.-Y., *Simulation of Mold Filling in Simultaneous Resin Injection/Compression Molding*, 25 (12), 1255–1268.

Chang, C.-Y., L.-W. Hourng and T.-Y. Chou, *Effect of Process Variables on the Quality of Compression Resin Transfer Molding*, 25 (10), 1027–1037.

Chen, C. S., *Determination of the Injection Molding Process Parameters in Multicavity Injection Molds*, 25 (13), 1367–1373.

Chen, C.-S., C.-P. Fung and R.-D. Chien, *Nonlinear Vibration of Orthotropic Plates with Initial Stresses on a Two-parameter Elastic Foundation*, 25 (3), 283–301.

Cheng, K. B., T. W. Cheng, R. N. Nadaraj, V. R. Giri Dev and R. Neelakandan, *Electromagnetic Shielding Effectiveness of the Twill Copper Woven Fabrics*, 25 (7), 699–709.

Chiu, P. and O. I. Okoli, *In-mold Coating of Composites Manufactured by the Resin Infusion between Double Flexible Tooling Process by Means of Co-infusion*, 25 (5), 543–551.

Dabade, B. M., G. R. Reddy, S. Rajesham and C. U. Kiran, *Effect of Fiber Length and Fiber Weight Ratio on Tensile Properties of Sun hemp and Palmyra Fiber Reinforced Polyester Composites*, 25 (16), 1733–1738.

de la Osa, O., V. A. Alvarez, A. N. Fraga, E. Martínez Mammone and A. Vázquez, *Loss of Mechanical Properties by Water Absorption of Vinyl-ester Reinforced with Glass Fiber*, 25 (2), 215–221.

Demirsoy, M. and Ç. Özes, *An Investigation on Woven-glass Fiber-reinforced Epoxy Laminate Conveyor Chain Components*, 25 (14), 1469–1483.

Ding, S. R., Y. Z. Huo, J. W. Tong, M. Shen, F. Aymerich and P. Priolo, *Viscoplastic Analysis of the Off-axis Rate-dependent Inelastic Behavior of Unidirectional AS4/PEEK*, 25 (5), 475–482.

Ding, S., Y. Z. Huo, J. Tong, M. Shen, F. Aymerich and P. Priolo, *Interlaminar Stress Analysis of Thick Thermoplastic AS4–PEEK Composite Laminates*, 25 (6), 589–600.

Ding, S., J. W. Tong, M. Shen, H. Q. Li and Y. Z. Huo, *Strain-rate Dependence of Interlaminar Stress Fields in the Vicinity of Free Edges of AS4–PEEK Composite Laminates Under Uniaxial Tension*, 25 (10), 1091–1100.

Dixit, N., M. T. Kortschot, M. Sain and D. Gulati, *Effect of Interactions between Interface Modifiers and Viscosity Modifiers on the Performance and Processibility of the Rice Hulls-HDPE Composites*, 25 (16), 1691–1699.

Elaldi, F. and S. Alecakir, *Damage Tolerance of Stiffened Composite Panels with Cutouts*, 25 (13), 1341–1351.

El Arabi, S. M. and Y. Weidong, *Characterization of the Failure and Effect of Carbon Fiber-reinforced Composites on the Cracking in Cement Constructions Part II: Shearing Behavior of Material and Adhesive*, 25 (8), 821–834.

El Arabi, S. M. and W. Yu, *Characterization of the Failure and the Effect of Carbon Fiber Reinforced Composites on the Cracking in Cement Constructions I-Tensile Characteristics*, 25 (12), 1317–1328.

Eng, K. M., M. Mariatti, N. R. Wagiman and K. S. Beh, *Effect of Different Woven Linear Densities on the Properties of Polymer Composites*, 25 (13), 1375–1383.

Erchiqui, F., *A New Thermodynamical Approach for the Simulation of Thermoforming Process using the Quasi-static Finite Element Method*, 25 (3), 235–261.

Erchiqui, F. and N. Kandil, *Neuronal Networks Approach for Characterization of Softened Polymers*, 25 (5), 463–473.

Esendemir, Ü., M. Reşit Usal and M. Usal, *The Effects of Shear on the Deflection of Simply Supported Composite Beam Loaded Linearly*, 25 (8), 835–846.

Fernberg, S. P., E. J. Sandlund and T. S. Lundström, *Mechanisms Controlling Particle Distribution in Infusion Molded Composites*, 25 (1), 59–70.

Fink, E. and L. Bank, *Pultruded Glass Fiber-reinforced Plastic and Paperboard Composite Tubes*, 25 (6), 601–616.

Fréour, S., F. Jacquemin and R. Guillén, *Extension of Mori–Tanaka Approach to Hygroelastic Loading of Fiber-reinforced Composites – Comparison with Eshelby–Kröner Self-consistent Model*, 25 (10), 1039–1052.

Ganguli, S., H. Aglan, P. Dennig and G. Irvin, *Effect of Loading and Surface Modification of MWCNTs on the Fracture Behavior of Epoxy Nanocomposites*, 25 (2), 175–188.

Ghugal, Y. M. and S. B. Deshmukh, *Performance of Alkali-resistant Glass Fiber Reinforced Concrete*, 25 (6), 617–630.

Goswami, S., *On the Prediction of Effective Material Properties of Cellular Hexagonal Honeycomb Core*, 25 (4), 393–405.

Homae, T., T. Shimizu, K. Fukasawa and O. Masamura, *Hypervelocity Planar Plate Impact Experiments of Aramid Fiber-reinforced Plastics*, 25 (11), 1215–1221.

Hou, T. H., J. M. Bai and J. M. Baughman, *Processing and Properties of a Phenolic Composite System*, 25 (5), 495–502.

Huang, D. and D. S. Cairns, *Constitutive Laws of Composite Materials via Multiaxial Testing and Numerical Optimization*, 25 (3), 263–281.

Huang, L., R. Zhan and Y. Lu, *Mechanical Properties and Crystallization Behavior of Polypropylene/Nano-SiO_2 Composites*, 25 (9), 1001–1012.

Huang, S.-I., T.-H. Chen and H. Chen, *Study on the Composites of Two Sized Silica Filled in PTFE*, 25 (10), 1053–1058.

Jacob, M., S. Jose, S. Thomas and K. T. Varughese, *Stress Relaxation and Thermal Analysis of Hybrid Biofiber Reinforced Rubber Biocomposites*, 25 (18), 1903–1917.

Jawali, N. D., B. Siddeswarappa and Siddaramaiah, *Physicomechanical Properties, Machinability, and Morphological Behavior of Short Glass Fiber-reinforced Nylon 6 Composites*, 25 (13), 1409–1418.

Jong, W.-R., S.-C. Chen, H.-C. Tsai, C.-C. Chiu and H.-T. Chang, *The Geometrical Effects of Bumps on the Fatigue Life of Flip-chip Packages by Taguchi Method*, 25 (1), 99–114.

Juma, M. and M. Bafrnec, *Heat Transfer Properties of Cord-reinforced Rubber Composites*, 25 (18), 1967–1975.

Kafi, A.-A., M. Z. Abedin, M. D. H. Beg, K. L. Pickering and M. A. Khan, *Study on the Mechanical Properties of Jute/Glass Fiber-reinforced Unsaturated Polyester Hybrid Composites: Effect of Surface Modification by Ultraviolet Radiation*, 25 (6), 575–588.

Karbhari, V. M., *Dynamic Mechanical Analysis of the Effect of Water on E-glass–Vinylester Composites*, 25 (6), 631–644.

Karbhari, V. M., H. Niu and C. Sikorsky, *Review and Comparison of Fracture Mechanics-based Bond Strength Models for FRP-strengthened Structures*, 25 (17), 1757–1794.

Kejian, W., T. Ogasawara and Y. Ishida, *Optimization of Liquid Molding Cycle for a Phenylethynyl Terminated Polyimide Composite*, 25 (4), 361–377.

Khalil, H. P. S. A., S. B. S. Shahnaz, M. M. Ratnam, F. Ahmad and N. A. N. Fuaad, *Recycle Polypropylene (RPP) – Wood Saw Dust (WSD) Composites – Part 1: The Effect of Different Filler Size and Filler Loading on Mechanical and Water Absorption Properties*, 25 (12), 1291–1303.

Küçük, M., *Elastoplastic Stress Analysis and Residual Stresses in Metal-matrix-laminated Plates under In-plane and Transverse Loading*, 25 (2), 161–173.

Kumutha, R. and M. S. Palanichamy, *Investigation of Reinforced Concrete Columns Confined using Glass Fiber-reinforced Polymers*, 25 (16), 1669–1678.

Kundu, C. K. and P. K. Sinha, *Nonlinear Transient Analysis of Laminated Composite Shells*, 25 (11), 1129–1147.

Laranjeira, E., L. H. de Carvalho, S. M. de L. Silva and J. R. M. D'Almeida, *Influence of Fiber Orientation on the Mechanical Properties of Polyester/Jute Composites*, 25 (12), 1269–1278.

Li, M., Y. Cao and Y. Xu, *Experimental Studies on the Loss Factor of Alternately Laminated Anisotropic Damped Thin Plates*, 25 (3), 303–312.

Liang, J.-Z. and L. Wang, *3D FEA of Interfacial Stress in Tensile of Rubber-modified Polypropylene*, 25 (7), 725–732.

Liu, Y., L. Lv, B. Sun, H. Hu and B. Gu, *Dynamic Response of 3D Biaxial Spacer Weft-knitted Composite under Transverse Impact*, 25 (15), 1629–1641.

Md. Akil, H., N. Lily, J. Abd. Razak, H. Ong and Z. A. Ahmad, *Effect of Various Coupling Agents on Properties of Alumina-filled PP Composites*, 25 (7), 745–759.

Mohanty, S. and S. K. Nayak, *Mechanical and Rheological Characterization of Treated Jute–HDPE Composites with a Different Morphology*, 25 (13), 1419–1439.

Mooteri, P. S., B. K. Sridhara, S. Rao, M. R. Prakash and R. M. V. G. K. Rao, *Studies on Mechanical Behavior of Microwave and Thermally Cured Glass Fiber Reinforced Polymer Composites*, 25 (5), 503–512.

Mula, S., T. Bera, P. K. Ray and B. C. Ray, *Effects of Hydrothermal Aging on Mechanical Behavior of Sub-zero Weathered GFRP Composites*, 25 (6), 673–680.

Murthy, O., N. Munirudrappa, L. Srikanth and R. M. V. G. K. Rao, *Strength and Stiffness Optimization Studies on Honeycomb Core Sandwich Panels*, 25 (6), 663–671.

Mutjé, P., J. Gironès, A. Lòpez, M. F. Llop and F. Vilaseca, *Hemp Strands: PP Composites by Injection Molding: Effect of Low Cost Physico-chemical Treatments*, 25 (3), 313–327.

Nidhi, B. K. Satapathy, J. Bijwe and N. Majumdar, *Influence of Modified Phenolic Resins on the Fade and Recovery Properties of the Friction Materials: Supportive Evidence Multiple Criteria Decision-making Method (MCDM)*, 25 (13), 1333–1340.

Nirmala, K., P. C. Upadhyay, J. Prucz and D. Lyons, *Thermo-elastic Stresses in Composite Beams with Functionally Graded Layer*, 25 (12), 1241–1254.

Önal, G., *Mechanical Buckling Behavior of Hybrid Laminated Composite Plates with Inclined Crack*, 25 (14), 1535–1544.

Padma Priya, S., H. V. Ramakrishna, S. K. Rai and A. Varada Rajulu, *Studies on Tensile Properties and Chemical Resistance of Glass Mat–Epoxy Toughened with Epoxy Phenol CNSL Composites*, 25 (2), 141–147.

Palanikumar, K., L. Karunamoorthy and N. Manoharan, *Mathematical Model to Predict the Surface Roughness on the Machining of Glass Fiber Reinforced Polymer Composites*, 25 (4), 407–419.

Palanikumar, K., *Cutting Parameters Optimization for Surface Roughness in Machining of GFRP Composites using Taguchi's Method*, 25 (16), 1739–1751.

Patcharaphun, S., B. Zhang and G. Mennig, *Investigation on Weldline Strength of Short-glass-fiber Reinforced Polycarbonate Manufactured through Push–Pull-processing Technique*, 25 (4), 421–435.

Pekbey, Y. and O. Sayman, *A Numerical and Experimental Investigation of Critical Buckling Load of Rectangular Laminated Composite Plates with Strip Delamination*, 25 (7), 685–697.

Pradhan, B. and S. K. Panda, *Characterization of Curing Stress Effects on Fracture Behavior of FRP Laminated Composites with Embedded Delaminations*, 25 (17), 1847–1864.

Priya, S. P. and S. K. Rai, *Studies on the Mechanical Performance of PMMA Toughened Epoxy–Silk and PC Toughened Epoxy–Silk Fabric Composites*, 25 (1), 33–41.

Priya, S. P., H. V. Ramakrishna and S. K. Rai, *Density, Void Content, Weight Reduction, and Chemical Resistance Studies on Waste Silk Fabric Reinforced Acrylonitrile–Butadiene–Styrene-toughened Epoxy Composites*, 25 (4), 339–345.

Rai, S. K. and S. P. Priya, *Utilization of Waste Silk Fabric as Reinforcement for Acrylonitrile Butadiene Styrene Toughened Epoxy Matrix*, 25 (6), 565–574.

Rajesh, J. J. and J. Bijwe, *Statistical Analysis of Abrasive Wear Data of Aramid Fabric-reinforced Polyethersulfone Composites*, 25 (9), 1013–1022.

Raju, M., C. R. Reddy, M. R. N. Swamy, G. Giridhar, L. Srikanth, M. R. Prakash and R. M. V. G. K. Rao, *Repair Effectiveness Studies on Impact Damaged Sandwich Composite Constructions*, 25 (1), 5–16.

Ramakrishna, H. V. and S. K. Rai, *Effect on the Mechanical Properties and Water Absorption of Granite Powder Composites on Toughening Epoxy with Unsaturated Polyester and Unsaturated Polyester with Epoxy Resin*, 25 (1), 17–32.

Ramakrishna, H. V., S. Padma Priya and S. K. Rai, *Utilization of Granite Powder as Filler in Epoxy Phenol Cashew Nut Shell Liquid-toughened Epoxy Resin for Impact and Compression Strength*, 25 (3), 227–234.

Ramakrishna, H. V., S. P. Priya and S. K. Rai, *Effect of Fly Ash Content on Impact, Compression, and Water Absorption Properties of Epoxy Toughened with Epoxy Phenol Cashew Nut Shell Liquid–Fly Ash Composites*, 25 (5), 455–462.

Rao, R. M. V. G. K., S. Rao and B. K. Sridhara, *Studies on Tensile and Interlaminar Shear Strength Properties of Thermally Cured and Microwave Cured Glass–Epoxy Composites*, 25 (7), 783–795.

Rattanawangcharoen, N., *An Analysis of Weakly Bonded Laminated Cylindrical Panels*, 25 (15), 1611–1628.

Ray, B. C., S. Mula, T. Bera and P. K. Ray, *Prior Thermal Spikes and Thermal Shocks on Mechanical Behavior of Glass Fiber–Epoxy Composites*, 25 (2), 197–213.

Ray, B. C., *Loading Rate Sensitivity of Glass Fiber–Epoxy Composite at Ambient and Sub-ambient Temperatures*, 25 (3), 329–333.

Ray, B. C., *Effects of Changing Environment and Loading Speed on Mechanical Behavior of FRP Composites*, 25 (12), 1227–1240.

Renukappa, N. M., R. D. Sudhaker Samuel and Siddaramaiah, *Studies on Physicomechanical and Electrical Properties of SBR–Carbon Black Composites*, 25 (11), 1173–1178.

Rong, J., B. Sun, H. Hu and B. Gu, *Tensile Impact Behavior of Multiaxial Multilayer Warp Knitted (MMWK) Fabric Reinforced Composites*, 25 (12), 1305–1315.

Roy, T. and D. Chakraborty, *Delamination in Hybrid FRP Laminates under Low Velocity Impact*, 25 (18), 1939–1956.

Şahin, Ö. S., *Plastic Zones and Residual Stresses of Metal Reinforced Composite Laminated Rectangular Plates with a Hole under In-Plane Loading*, 25 (5), 483–494.

Sain, M. M., A. Ghosh and I. Banik, *Fiberboard Composites from Wood-fiber Bonded with Renewable Wood Resin*, 25 (16), 1701–1708.

Salmah, H. Ismail and A. A. Bakar, *Effects of Chemical Modification of Paper Sludge Filled Polypropylene (PP)/Ethylene Propylene Diene Terpolymer (EPDM) Composites*, 25 (1), 43–58.

Sarikanat, M., H. Yildiz and A. Baltaci, *Determination of the Effects of Axial Load on the Natural Frequency of a Composite Beam with the Finite Element Method*, 25 (11), 1165–1172.

Sayman, O., Y. Pekbey and S. Sayman, *Elastic–Plastic Stress Analysis of a Thermoplastic Composite Disc under Linear Temperature Distribution*, 25 (4), 379–391.

Sayman, O. and Y. Arman, *Thermal Stresses in a Thermoplastic Composite Disc under a Steady State Temperature Distribution*, 25 (16), 1709–1722.

Sen, F., *Estimation of Elastoplastic Thermal and Residual Stresses in a Thermoplastic Composite Disc Under Uniform Temperature Effect*, 25 (14), 1485–1498.

Shaikh, A. A. and S. A. Channiwala, *Experimental and Analytical Investigation of Jute Polyester Composite for Long Continuous Fiber Reinforcement*, 25 (8), 863–873.

Sharma, S. C., M. Krishna, H. N. Narasimhamurthy and Sanjeevamurthy, *Studies on the Weathering Behavior of Glass Coir Polypropylene Composites*, 25 (9), 925–932.

Shen, Y. K., P. T. Lin and S. W. Yeh, *Flow Visualization of Solder Ball Arrangement for Underfill Encapsulation of Flip Chip*, 25 (11), 1205–1213.

Shivakumar, K. N., G. Swaminathan and M. Sharpe, *Carbon/Vinyl Ester Composites for Enhanced Performance in Marine Applications*, 25 (10), 1101–1116.

Singh, P., A. Kaushik and Kirandeep, *Mechanical and Transport Properties of Colloidal Silica–Unsaturated Polyester Composites*, 25 (2), 119–140.

Sofiyev, A. H., K. Yücel, M. Avcar and Z. Zerin, *The Dynamic Stability of Orthotropic Cylindrical Shells with Non-homogenous Material Properties under Axial Compressive Load Varying as a Parabolic Function of Time*, 25 (18), 1877–1886.

Sun, B., H. L. Dai and X. Wang, *Dynamic Focusing Effect of Laminated Piezoelectric Structures Subjected to Radial Impact*, 25 (13), 1385–1408.

Sun, B. and B. Gu, *Shear Behavior of 3D Orthogonal Woven Fabric Composites under High Strain Rates*, 25 (17), 1833–1845.

Suresha, B., G. Chandramohan, P. Samapthkumaran, S. Seetharamu and S. Vynatheya, *Friction and Wear Characteristics of Carbon-epoxy and Glass-epoxy Woven Roving Fiber Composites*, 25 (7), 771–782.

Toygar, M. E., M. Toparli and B. Uyulgan, *An Investigation of Fracture Toughness of Carbon/Epoxy Composites*, 25 (18), 1887–1895.

Uddin, N., F. Fouad, U. K. Vaidya, A. Khotpal and J. C. Serrano-Perez, *Structural Characterization of Hybrid Fiber Reinforced Polymer (FRP)–Autoclave Aerated Concrete (AAC) Panels*, 25 (9), 981–1000.

Unal, H. and A. Mimaroglu, *Friction and Wear Characteristics of PEEK and its Composite under Water Lubrication*, 25 (16), 1659–1667.

Varada Rajulu, A., R. Rama Devi and A. Venunadhan, *Thermo Gravimetric Analysis of Ridge Gourd Natural Fabric Reinforcement*, 25 (8), 815–819.

Vauhini, R. M., V. Srinivasan, V. S. Panchagavi, N. Karthik, R. Suresh, L. Srikanth and A. Vanaja, *Heat Transfer Studies on Glass Epoxy Composite Laminates – Effects of Heating Rate and Fiber Fraction*, 25 (13), 1353–1365.

Wahit, M. U., A. Hassan, A. R. Rahmat, J. W. Lim and Z. A. Mohd Ishak, *Effect of Organoclay and Ethylene–Octene Copolymer Inclusion on the Morphology and Mechanical Properties of Polyamide/Polypropylene Blends*, 25 (9), 933–955.

Wan, B., M. F. Petrou and K. A. Harries, *The Effect of the Presence of Water on the Durability of Bond between CFRP and Concrete*, 25 (8), 875–890.

Wang, D., G. Chen, Z. Li and C. Kou, *Bearing Strength Analysis of Single Mechanically Fastened Joint in Stitched Laminates*, 25 (7), 711–724.

Wang, H. M. and H. J. Ding, *Dynamic Piezothermoelastic Responses of a Two-layered Composite Hollow Cylinder Constructed of Elastic and Pyroelectric Layers*, 25 (14), 1449–1468.

Wu, W.-L. and D.-J. Chen, *Preparation and Properties of Composite Dough-modeling Compound Reinforced Ethylene Propylene Diene Terpolymer/Silicon Rubber*, 25 (16), 1723–1731.

Wu, S.-H., I. Masaharu, T. Natsuki and Q.-Q. Ni, *Electrical Conduction and Percolation Behavior of Carbon Nanotubes/UPR Nanocomposites*, 25 (18), 1957–1966.

Xie, G., P. Zhang, S. Gong, W. Cao and X. An, *Numerical Analysis and Research of Crack Tip Macro–Micro Stress Concentration for Polymer-matrix Composites*, 25 (9), 967–979.

Yang, Y.-K., *Optimization of Injection Molding Process for Mechanical Properties of Short Glass Fiber and Polytetrafluoroethylene Reinforced Polycarbonate Composites: A Case Study*, 25 (12), 1279–1290.

Yang, Y.-K., J.-R. Shie, R.-T. Yang and H.-A. Chang, *Optimization of Injection Molding Process for Contour Distortions of Polypropylene Composite Components via Design of Experiments Method*, 25 (15), 1585–1599.

Yanjin, G., Z. Guoqun and C. Gang, *Influence of Belt Cord Angle on Radial Tire under Different Rolling States*, 25 (10), 1059–1077.

Yao, X. F., H. P. Zhao and H. Y. Yeh, *Micro/nanoscopic Characterizations of Epoxy–Silica Nanocomposites*, 25 (2), 189–196.

Yao, X. F., W. Xu and H. Y. Yeh, *Dynamic Caustic Analysis of a Propagating Mode-III Crack in Functionally Graded Material Based on a Higher-order Transient Crack Tip Expansion*, 25 (10), 1079–1089.

Yeh, H.-Y., H. N. Rashid and H.-L. Yeh, *Effect of T-stress on Damage Zone Size Predictions of Notched Laminated Composites*, 25 (1), 89–98.

Yeh, H.-Y., K. Ahmed and H.-L. Yeh, *Change of Damage Zone Size by T-stress*, 25 (6), 645–661.

Yu, Y., X. Yang, L. Wang and H. Liu, *Hygrothermal Aging on Pultruded Carbon Fiber/Vinyl Ester Resin Composite for Sucker Rod Application*, 25 (2), 149–160.

Yu, G., D. Shang-Li, H. Song, Y. De-Zhuang and L. Zhi-Jun, *Characterization of Stress Distribution and Thermal Expansion Behavior for M40J/AG-80 Composites Experienced Vacuum Thermo-cycling*, 25 (16), 1647–1657.

Yung, K. C., J. Wang and T. M. Yue, *Modeling Young's Modulus of Polymer-layered Silicate Nanocomposites Using a Modified Halpin–Tsai Micromechanical Model*, 25 (8), 847–862.

Yuyan, L., M. Linghui, H. Yudong and L. Lixun, *Method of Recovering the Fibrous Fraction of Glass/Epoxy Composites*, 25 (14), 1525–1533.

Zaixia, F., Zhangyu, C. Yanmo and L. Hairu, *Tensile Properties of Glass Fiber Knitted Fabric Reinforced Polypropylene Composite Made from GF/PP Commingled Yarn Affected by Prestretching*, 25 (5), 553–560.

Zhang, Y. C. and X. Wang, *Hygrothermal Effects on Interfacial Stress Transfer Characteristics of Carbon Nanotubes-reinforced Composites System*, 25 (1), 71–88.

Zhang, Y. D., Y. L. Wang, Y. Huang and Y. Z. Wan, *Preparation and Properties of Three-dimensional Braided UHMWPE Fiber Reinforced PMMA Composites*, 25 (15), 1601–1609.

Zhang, H. and L. Minnetyan, *Analysis of Transverse Cracking in* $[90_n/\pm\theta_m]_s$ *Composite Laminates*, 25 (18), 1919–1938.

Zhu, L., A. Chattopadhyay and R. K. Goldberg, *Multiscale Analysis Including Strain Rate Dependency for Transient Response of Composite Laminated Shells*, 25 (17), 1795–1831.